

CGCR Clinic Medication Dosages

Rev 1 March 4, 2022

Medication:	When use is indicated:	Dosage based on cat weight/age/condition
Droncit® injectable PRAZIQUANTEL: 56.8 mg/mL	For TNRs when tapeworms observed at surgery	<ul style="list-style-type: none"> ▪ Cats <5 lbs: 0.2 mL (equivalent to > 5.2 mg/kg praziquantel) ▪ Cats 6 to 10 lbs: 0.4 mL (equivalent to 8.4 to 5.0 mg/kg praziquantel) ▪ Cats >11 lbs: max 0.6 mL (equivalent <6.8 mg/kg praziquantel)
Pyrantel Pamoate suspension	Routine roundworm deworming for adoptable cats when <i>no fleas or tapeworms observed</i>	Standard 2 dose protocol for all adoptable cats without fleas or tapeworms: <ul style="list-style-type: none"> ▪ .10 ml per pound Day 1 and repeat Day 10 If there is a heavy roundworm infestation noted after 1st dose do 3 dose vs 2 dose protocol and give 2 nd dose at Day 7 and 3 rd dose at day 14
Virbantel® pyrantel pamoate/praziquantel Flavored Chewables	Deworming for adoptable cats <i>when fleas or tapeworms observed</i>	1 mg per pound - the tablets are 30 mg. Do not use for kittens or cats under 3 lbs unless directed by Jen or the Vet <ul style="list-style-type: none"> ▪ Kittens 3 to 5 months / 3 to 6 lbs: 1/8 tab* ▪ Cats 6 to 10 lbs: 1/4 tab* ▪ Cats over 10 lbs: 1/4 tab + 1/8 tab* * Follow with a pyrantel dose 10 days later
Panacur® fenbendazole 10 pc oral solution	Giardia	<ul style="list-style-type: none"> ▪ .50 ml per 2.2 lbs of body weight daily for 3 consecutive days
	Deworming (when directed by Vet or Jen)	<ul style="list-style-type: none"> ▪ Adult cats: clinical worm infestation 1 ml per 2.2 lbs body weight as a single oral dose. The dose should be mixed with feed or administered orally directly after feeding. ▪ Kittens under six months of age: 0.5 ml per 2.2lbs body weight daily for 3 consecutive days given by mouth after feeding or mixed with food for weaned animals

CGCR Clinic Medication Dosages

Rev 1 March 4, 2022

Medication:	When use is indicated:	Dosage based on cat weight/age/condition
Albon® Sulfadimethoxine Oral Suspension 5%	Coccidia / diarrhea resolution	<ul style="list-style-type: none"> ▪ Day 1: .50 ml per pound ▪ Days 2 through 5: .25 ml per pound <p>If not resolved at day 5 consult if 2 days should be added to the course.</p> <p>DO NOT do more than 5 days on kittens, geriatric or compromised cats</p>
Kaolin	Mild diarrhea	<ul style="list-style-type: none"> ▪ .25 mL / lb ▪ 1x / day for 3 days
Clavamox® or generic: Amoxicillin-clavulanic acid	Broad spectrum antibiotic for URIs, heavy infection	Note: Mix powder to water ratio as indicated on bottle <ul style="list-style-type: none"> ▪ 0.1 mL / lb or in severe cases 0.15 mL / lb ▪ 2x / day for 7 to 10 days
Amoxicillin	Antibiotic for bacterial infections	Note: Mix powder to water ratio as indicated on bottle <ul style="list-style-type: none"> ▪ 0.1 mL / lb up to 7 lbs or 1.0 mL for 8 lbs ▪ 2x / day for 7 to 10 days
Revolution® Selamectin	Fleas, ear mites & sarcoptic mange mites. Note <u>all</u> adoptable cats receive treatment with Revo.	<p>When NO ear mites observed:</p> <p><i>Apply to back side of head:</i></p> <ul style="list-style-type: none"> ▪ 1 drop per lb up to 6 lbs. ▪ 6 drop max for over 6 lbs. <p>Note: kittens smaller than 2 lbs with heavy fleas - bath kittens in DeFlea Shampoo prior to applying Revo!</p> <p>When EAR MITES are observed:</p> <p><i>Apply to back side of head plus a drop at base of each ear to directly hit the ear mites:</i></p> <ul style="list-style-type: none"> ▪ 2 – 3.9 lbs: 1 drop top of head + 1 drop at base of each ear for 3 drops total ▪ 4 – 4.9 lbs: 4 drops top of head + 1 drop at base of each ear for 6 drops total ▪ 5 – 5.9 lbs: 5 drops top of head + 1 drop at base of each ear for 7 drops total ▪ 6 lbs and over: 6 drops top of head + 1 drop at base of each ear for 8 drops total